

ESOMER


1

80, : ; , , 43,38 (Avicel®), 40 ; (), , , , (172), (172), (4000), , (171).

02 05.

S-

R- S-



Helicobacter pylori

90 %

40

70 %

4

93 % -

8

6

(CgA)

ECL-

, *Salmonella* *Campylobacter*, , , *Clostridium difficile*.

– 50 % 68 %. 64 %

40

89 %

1-2

20

0,22 /

97 %

450 (CYP).

CYP2 19,
, CYP3 4,

CYP2 19 (

).

17 /

9 /

1,3

1

1

80 %

1 %

2,9±1,5 %

CYP3 4.

CYP2 19 (

1

40

100 %

).

CYP2 19

40 , , , , , 1 , . 30 %

();

12

():

40 i , i , i . i
 i i i) i i . i , i

, , CYP 2C19. (40 1) C_{max} AUC
 (CYP2C19) 15 % 41 %. .

30 i Y 2 19 i 45 %

CYP 2C19.

75) (40),
40 % (-) 14%.

$$+ \left(\frac{1}{2} - \frac{1}{2} \right) \left(\frac{1}{2} + \frac{1}{2} \right) \left\{ \frac{1}{2} \left(\frac{1}{2} - \frac{1}{2} \right) \right\} = \frac{1}{2} \left(\frac{1}{2} - \frac{1}{2} \right) \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \cdot \frac{1}{2} \cdot \frac{1}{2} = \frac{1}{8}$$

Y 2 19.

i i Y 2 19 - , , i i i , i i . i , i), i i i i i p i , i

»

pH.

(20 %) – 10 % (– 30 %).

(),

C_{\max} = 29 % 69 % CYP 2C19.

40 i i i p i i i i i i i . 13 % i i .

i *i* *i* *i* *CYP2C19, CYP3A4*
 , i Y 2 19 i Y 3 4
 i i (AUC)

(CgA)
»).

5

gA (

i i i i

i i

i.

() /

i

i i , i . i ,

i

, () () « »).

12

1

()
: 40 1

4

4

: 40 1
,

: 40 2

80 / ,

80 160

20

12

()

40

4

4

12

12 ,

,

,

30

1.

50

25

5

2.

2

3.

,

4.

,

5.

5-10

).

6.

(

5-10

7.

25

5

5,

,

,

$$12 \quad , \\ (\quad)$$

280 . 80

($>1/10000, <1/1000$) : ($>1/100, <1/10$); ($>1/1000, <1/100$);
 . . . ($<1/10000$).

.2

30°

PERRERY FARMACEUTICI SRL.

, 1, 37026 (VR), /
Corso San Lorenzo, 1, 37026 Pescantina (VR), Italy.

LAMP SAN PROSPERO S.P.A.

, 25/ , 41030 (MO), /
Via Della Pace, 25/A, 41030 San Prospero (MO), Italy.