

(MOMIXON)

1

; 0.05173 ,

50 ;

, , , 80,

, , ,

R01A D09.

(50%)

12

35,9

28 %

0,25 /

<1 %,

IL-1, IL-5, IL-6 TNF-
Th2, IL-4, IL-5 T CD4 +.

, , , ,

100

12

2

4

()

12

18

).

(

,

CYP3A,

, , , ,

, , , ,

, , , ,

(, , ,),

herpes simplex

18

12

; , ,

,

, .

,

, , .

, ,

(),

, ,

, , , , , , , , , , (—).

, .

,

(, / , ,).
, , ,),

(, ,

, ,

, , , ,

, ,

, ,

, , , ,

, ,

, ,

, , , ,

, ,

, ,

/ , ,

(, ,)

, ,

, , , ,

, ,

100 , 50 ().
 « » 2 ,

$$\left(\begin{array}{cc} & -200 \\ 1 & \end{array} \right) \quad \left(\begin{array}{cc} & -100 \\ & \end{array} \right).$$

2-11 1 (50) 1 (- 100).

12
48 ,

$$2 \quad \quad \quad (-50) \quad \quad \quad . \quad \quad 2 \quad \quad (\quad \quad (\quad \quad) \quad \quad) \\ -400 \quad).$$

$$4 \qquad \qquad \qquad 2 \qquad \qquad \qquad (\qquad \qquad \qquad - 800 \qquad).$$

12

2

(50)

2

$$\begin{aligned}
 & \left(\begin{array}{c} -400 \\ . \\ 18 \end{array} \right) \\
 & \left(\begin{array}{c} -400 \\ . \\ -200 \end{array} \right). \\
 & \left(\begin{array}{c} 2 \\ . \\ 2 \end{array} \right) \\
 & \left(\begin{array}{c} 50 \\ . \\ 1 \end{array} \right) \\
 & \left(\begin{array}{c} 2 \\ . \\ 1 \end{array} \right)
 \end{aligned}$$

— , 100 ,

— 12 , — 2 .

, $< 1\%$ (0,25 /), , ,

1.

1:	,
(1/10),	(1/100, $< 1/10$),
	(1/1000, $< 1/100$),
	(1/10000, $< 1/100$),
	($< 1/10000$)
:	,
:	,
:	,

, 15%).

(2%) (2%)

(5%), , (6%), (3%),

,

,

,

1%

2.

2: ,

(1/10), (1/100, <1/10), (1/1000, <1/100), (1/10000, <1/100),
(<1/10000)

, : ,

:

,

3: ,

(1/10), (1/100, <1/10), (1/1000, <1/100), (1/10000, <1/100),
(<1/10000)

200 1 200 2

, : ,

,
2%

,
3.

3,7%

).

(2,6%)

(2,9%)

/

2

-2

25°

10 (60), 16 (120), 18 (140)

1

, /Farmea, France.

«, » /Adamed Pharma S.A. Poland

10 , , , , 49000,
5, 95-200, , , /10 rue Bouche Thomas, ZAC d'Orgemont, Angers, 49000, France.
, , , / ul. marsz. J. Pilsudsiego 5, Pabianice, 95 – 200, Poland